


INDIANA.
N & W 2 P. M.



Township N^o XV North, Range N^o IX West of 2nd Meridian. Surveyed by William Harris 1816 & Basil Bently 1823.

The part within Vincennes Dist. contains 19,697. 11

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35.36 Prairie & Barrens 2 nd rate		2.73 Good farming land		21.79 Land level - Oak, Hickory, sugar, part good for farming, part timber wet	
25.30 Land 2 nd rate		33.34 Land level good for farming - sugar, Oak		11.5	
25.20 Land - good farming		27.34 Same		31.32 Land level, good for farming Oak, Oak Hickory	
24.25 Land - West - level good for farming - East - Hill		37.25 Land 2 nd rate		20.32 Land 2 nd rate - Oak	
23.24 River bottom which overflows, Marshy, including Elm		22.27 Prairie - good farming land		20.30 Land good for farming sugar, Oak	
13.20 Land good for farming sugar, Oak		21.22 Land level good for farming - Decid. sugar, Oak		20.29 Land	
13.14 Land level good for farming - Oak, sugar, Hickory		15.22 Land a little rolling, good for farming sugar, Oak		19.20 Same	
12.13 Land - Hickory		15.16 Land a little broken but good sugar, Oak, hill, good for farming		17.20 Same	
11.12 Land rich - No Oak, Hickory, sugar &c		10.15 Land similar - East half, broken		17.13 Land 2 nd rate - Oak, Hickory	
1.12 2 nd rate land - No Oak, Oak, No Oak		9.10 Land level - Oak, sugar, Hickory, part good for farming, part timber wet		5.17 Land a little rolling - 2 nd rate - Oak, sugar	
1.2 2 nd rate land - No Oak, Oak, Hickory, sugar, No Oak		3.10 West & similar - East broken - Oak, Hickory 2 nd rate		1.3 Land 2 nd rate - Oak, sugar, Hickory	
34.35 River bottom overflows		3.11		5.8 Land a little broken 2 nd rate - Oak, sugar, Elm	
24.33 Land level part overflows, part middle good farming land		32.33 Land a little Prairie 2 nd rate - Oak		5.6	
26.27 Land a little rolling 2 nd rate - Oak		28.33 Land same - Oak - sugar		6.7	
23.26 Overgrown bottom		28.19 Land a little broken - good for farming sugar, Oak		7.18	
22.23 Land 2 nd rate		21.28 Same		18.19	
14.23 River bottom which overflows		20.21 Same		19.30	
12.13 Land a little rolling - good for farming		16.21 Land level 2 nd rate - middle good for farming		30.31	
11.14 West 38 minus same - East 29 (River bottom which overflows)		16.17 Land level - Oak, Hickory, sugar, Oak - same			
10.11 Land broken, sugar, Oak, Hickory 2 nd rate soil		9.10			
2.11 River bottom which overflows - on E side of River		3.6 Land level - Oak, Hickory, Elm, rather wet			

ownership N.^o 15 North, Range N.^o 9 West of 2nd Meridian

Notes	Bearing trees	Sections	Corners they bear	Links dist.	Quality of the Soil
A	W. Oak	24	S 33 E 4		
a	Hickory	13	N 50 W 43		
B	W. Oak	24	S 51 E 57		
b	W. Oak	27	N 38 W 18		
C	W. Oak	12	S 1 W 12		
c	S. Oak	20	N 79 W 13		
D	S. Oak	18	S 72 E 15		
d	elm	8	N 77 W 13		
E	Buck	18	N 59 W 18		
e	Sugar	12	S 72 E 23		
F	W. Oak	14	West	16	
f	do	10	S 35 E 18		
G	Corn	in	Prains		
g	Hickory	9	S 34 E	12	
g	Corn	in	Prains		
H	Hickory	14	S 4 E	17	
h	S. Oak	24	N 35 W 46		
i	Sugar	10	S 8 E 18		
i	W. Oak	27	N 46 W 31		
j	W. Oak	9	S 35 E 30		
j	Hickory	9	N 55 W 20		
k	Sugar	10	S 11 E 23		
k	elm	12	N 4 W 15		
K	Sugar	5	N 10 E 4		
K	W. Oak	12	S 26 E 37		
K	Buck	8	N 65 E 22		
L	W. Oak	14	S 35 W 32		
L	W. Oak	10	N 76 E 13		
l	do	13	S 15 W 22		
l	W. Oak	10	N 52 E 7		
l	B. Oak	8	S 74 W 16		
M	Buck	30	S 18 E 13		
m	Sugar	18	N 21 W 61		
m	Hickory	30	East	4	
m	W. Oak	24	S 43 W 45		
N	W. Oak	12	Comm		
n	do	24	N 49 W 49		
n	do	12	East	40	
O	Praine	in	bearing trees		
o	S. Oak	12	N 57 W 12		
o	elm	12	N 72 E 21		
P	Hickory	12	N 78 E 58		
p	Walnut	6	N 63 E 37		
P	W. Oak	18	N 5 E 50		
p	B. Oak	22	S 22 W 32		
Q	Sugar	14	N 39 E 51		
q	do	15	S 17 W 16		
q	W. Oak	18	N 42 E 46		
q	Poplar	36	S 35 W 28		
R	W. Oak	24	N 79 E 14		
r	Sugar	10	S 69 W 17		
r	W. Oak	24	N 27 E 19		
r	do	8	S 5 E 13		
S	Sugar	10	S 42 W 31		
s	W. Oak	40	S 52 E 45		
S	B. Oak	20	N 34 E 71		
s	Hickory	10	S 18 W 31		
T	Buck	20	N 26 E 2		
t	W. Oak	40	S 43 W 57		
U	No bearing trees				
u					
V	W. Oak	30	S 57 W 70		
v	B. Oak	24	S 4 E 75		
W	Hickory	6	South	17	
w	do	0	N 74 E 23		
X	Sugar	12	S 18 W 35		
x	B. Oak	30	N 51 E 35		
Y	Hickory	12	S 46 W 133		
y	elm	14	S 77 E 50		

Corners on Watash 10m
 11 Mouth of Racoon Cr.
 12 Sycamore 20 N 52 W 4
 13 36 S 49 W 1
 14 13 Walnut 13 E 100
 15 Cottonwood 12 N 40 W 2
 16 W. Oak 18 S 70 E 2

Interior Section Corners described

Cornets of Sections	Sealing-Inns	Inches diam.	Cornets & Key Gear	Inches dist.
25.26.35.36	H. Oak	11	F 111	H 198
	H. Oak	12	F 61	E 216
25.26.25.26	H. Oak	8	F 1	H 25
	do.	10	F 22	H 11
15.16.25.26	Blackberry	9	F 42	E 25
	H. Walnut	25	F 54	H 18
11.12.13.14	Blackberry	15	F 24	F 31
	H. Cherry	27	F 16	E 15
1.2.11.12	H. Apple	18	F 5	E 16
	do.	16	F 10	H 26
26.27.31.33	H. Apple	36	F 16	E 12
	do.	18	F 16	E 18
12.23.26.27	H. Oak	10	F 1	E 123
	do.	12	F 54	E 96
14.15.22.23	H. Cherry	10	F 55	E 114
	Sugar	12	F 76	H 41
11.11.14.15	H. Cherry	9	F 1	H 12
	do.	10	F 4	H 31
2.3.10.11	Sugar	14	F 75	E 11
	H. Oak	30	F 78	H 41
27.28.33.34	Sugar	12	F 42	E 11
	H. Oak	40	F 51	H 15
21.22.27.28	Sugar	12	F 22	E 75
	do.	18	F 2	E 40
15.16.11.22	H. Oak	10	F 17	E 20
	H. Oak	26	F 16	E 27
9.10.15.16	H. Oak	30	F 70	H 39
	do.	10	F 77	E 25
3.4.9.10	Sugar	8	F 30	H 11
	H. Cherry	12	F 18	H 42
28.29.32.33	H. Walnut	6	F 75	H 11
	H. Oak	26	F 87	E 45
20.21.28.29	H. Oak	8	F 37	E 36
	do.	10	F 40	H 32
15.17.20.21	Blackberry	12	F 41	E 21
	do.	12	F 67	H 19
8.9.16.17	Sugar	14	F 64	E 43
	H. Oak	18	F 63	H 34
4.5.8.9	H. Oak	27	F 58	H 5
	do.	24	F 42	E 31
29.30.31.32	H. Oak	24	F 7	H 15
	do.	6	F 26	H 46
19.20.29.30	H. Walnut	6	F 15	E 20
	Sugar	8	F 68	H 16
17.18.19.20	H. Oak	12	F 44	E 17
	do.	12	F 87	H 22
7.8.17.18	H. Cherry	14	F 74	H 36
	H. Oak	12	F 64	E 28
5.6.7.8	Sugar	12	F 25	H 18
	H. Oak	10	F 11	E 37

Interior Quarter Section Corners continued

From	To	Shipping	Losses	Shipping	Losses	Shipping	Losses
L to Y	at 1	Buckeye	10	10	10	10	10
	2	do	12	12	12	12	12
	3	do	12	12	12	12	12
	4	do	12	12	12	12	12
	5	do	12	12	12	12	12
	6	do	12	12	12	12	12
	7	do	12	12	12	12	12
	8	do	12	12	12	12	12
	9	do	12	12	12	12	12
	10	do	12	12	12	12	12
	11	do	12	12	12	12	12
	12	do	12	12	12	12	12
H to Y	1	do	12	12	12	12	12
	2	do	12	12	12	12	12
	3	do	12	12	12	12	12
	4	do	12	12	12	12	12
	5	do	12	12	12	12	12
	6	do	12	12	12	12	12
	7	do	12	12	12	12	12
	8	do	12	12	12	12	12
	9	do	12	12	12	12	12
	10	do	12	12	12	12	12
	11	do	12	12	12	12	12
	12	do	12	12	12	12	12
O to F	1	do	12	12	12	12	12
	2	do	12	12	12	12	12
	3	do	12	12	12	12	12
	4	do	12	12	12	12	12
	5	do	12	12	12	12	12
	6	do	12	12	12	12	12
	7	do	12	12	12	12	12
	8	do	12	12	12	12	12
	9	do	12	12	12	12	12
	10	do	12	12	12	12	12
	11	do	12	12	12	12	12
	12	do	12	12	12	12	12
P to F	1	do	12	12	12	12	12
	2	do	12	12	12	12	12
	3	do	12	12	12	12	12
	4	do	12	12	12	12	12
	5	do	12	12	12	12	12
	6	do	12	12	12	12	12
	7	do	12	12	12	12	12
	8	do	12	12	12	12	12
	9	do	12	12	12	12	12
	10	do	12	12	12	12	12
	11	do	12	12	12	12	12
	12	do	12	12	12	12	12
Q to D	1	do	12	12	12	12	12
	2	do	12	12	12	12	12
	3	do	12	12	12	12	12
	4	do	12	12	12	12	12
	5	do	12	12	12	12	12
	6	do	12	12	12	12	12
	7	do	12	12	12	12	12
	8	do	12	12	12	12	12
	9	do	12	12	12	12	12
	10	do	12	12	12	12	12
	11	do	12	12	12	12	12
	12	do	12	12	12	12	12

Learnings on the Wabash River

Posts	Bearing & trees	itches diam.	Courses they bear	Feet dist.
1	Sugar	20	Corner	..
2	Elm	12	N 26 W	12
	Sycamore	15	S 43 E	10
3	Red. Oak	8	S 13 W	13
	Blackberry	11	N 11 E	23
4	Maple	5	N 84 E	10
	do	6	S 79 W	37
5	Elm	12	S 61 E	23
	do	7	N 43 W	33
6	Sycamore	36	S 3 W	33
	Blackberry	18	S 68 W	26
7	Maple	8	S 53 W	18
	Elm	7	N 3 W	24
8	Red. Oak	14	S 15 E	27
	do	12	N 11 E	23
9	No corner	made		
10	B. Cedar	10	S 30 E	18
	do	11	N 34 W	6
#				
15	Sugar	6	Corner	
	do	24	S 9 W	36
	break	4	N 62 E	7
Corners on the Indian Boundary				
283	N. Oak	12	N 56 E	46
	A. Oak	24	S 34 E	15
2811	Maple	30	S 37 E	21
	do	27	N 75 W	37
11912	Elm	12	S 33 W	7
	Maple	14	S 60 E	49
12713	Elm	11	S 66 E	6
	Maple	9	N 17 W	8
8	Buckeye	8	S 34 E	6
	Hickory	12	S 33 W	9
2.	Sugar	10	N 40 E	4
	N. Oak	12	S 43 W	28

Interior Quarter Section corners described:


From	To	Bearing	Acres	Links	Acres	Links	Acres
				Dist.		Dist.	
H to V	1	N. Oak	15	N 51	E 245		
	2	Blackberry	12	S 27	E 26		
		Mulberry	12	N 10	N 24		
	3	Prairie	no	bearing	trees		
	4	Sugar	20	S 32	E 24		
		Blackberry	6	N 33	E 32		
	5	N. Oak	10	S 35	N 45		
		Blackberry	12	N 45	E 22		
	6	Blackberry	5	N 7	N 425		
I to V	1	Sugar	10	S 72	E 33		
		Blackberry	26	S 89	N 40		
	7	Whiteoak	30	S 12	N 36		
		do	40	S 68	E 44		
	3	Prairie	no	bearing	trees		
	4	N. Oak	36	S 21	E 7		
		do	12	N 70	N 15		
	5	N. Oak	14	N 46	E 24		
		N. Oak	15	S 5	N 22		
	6	Blackberry	3	S 17	E 45		
		N. Oak	30	N 60	N 30		
K to W	1	N. Walnut	15	S 9	N 22		
		Blackberry	5	N 45	N 22		
	2	Corn	in	River			
	3	N. Walnut	15	N 13	E 15		
		Sugar	20	S 35	N 40		
	4	Sugar	12	N 37	N 40		
		Wash	14	S 36	E 26		
	5	Wash	5	N 14	E 22		
		Sugar	8	S 34	E 24		
	6	N. Oak	10	S 64	E 15		

ibid.	3. Buckeye	17. S 5 W 24
-------	------------	--------------

	Sugar	12	St 66	St 17
	4 Hickory	11	St 25	C 9
	Beech	12	St 8	St 20
	5 W. Oak	14	St 42	St 12
	W. Oak	18	St 82	C 3
	6 Hickory	12	St 5	St 30
	Sugar	11	St 70	St 25
A to C	1 W. Oak	9	St 26	St 19
	B. Oak	30	St 48	C 13
	12 W. Oak	10	St 01	C 25
	Syrup	12	St 7	St 30
	3 Sugar	12	St 66	C 18
	do	8	St 16	St 17
	4 S. Oak	20	St 72	St 12
	Hickory	18	St 81	C 31
	5 Elm	9	St 6	C 30
	W. Oak	15	St 16	St 58
	6 Beech	13	St 66	St 16
	Hickory	9	St 84	C 20
S to B	1 B. Oak	36	St 15	St 22
	Hickory	12	St 1	St 63
	2 W. Oak	26	St 47	St 26
	do	36	St 54	C 25
	3 W. Oak	14	St 71	St 21
	B. Oak	6	St 77	C 22
	4 Sugar	12	St 87	St 14
	W. Oak	36	St 40	C 13
	5 Sugar	15	St 14	C 19
	B. Oak	12	St 11	C 36
	6 W. Oak	26	St 25	C 22
	do	12	St 24	St 25

HO

149



INDIANA
N & W 2 P. M.

The Range & Town lines on the west & north of this Town were not run; the lot lines from the last Sec. on the N.W. boundary were carried out 80 chains & temporary posts set - the calculations on the N.W. corner cannot therefore be made.


Put on the Mackintosh



(A true copy from the original)
selected for the Wabash Free Press & confirmed
by Act of Congress approved 27th July, 1841

Township N.° XV North, Range N.° IX West of 2.nd Mer.

Corners on the River				
E	Bent	18	N 59° 18'	
	Sugar	12	S 72° 23'	
G	B. Walnut	18	Corner	
H	elm	12	N — 30'	
	Maple	18	N 78° 47'	
P	W. Oak	12	N 56° 46'	
	R. Oak	24	S 34° 15'	
Y	Maple	30	S 37° 21'	
	do	27	N 74° 17'	
Z	Sugar	10	N 40° 11'	
	W. Oak	14	S 44° 12'	
S				
P & E at 6	Hackberry	4	N 58° 10'	32
	do	12	S 46° 23'	38



Total quantity 564.19
3

INDIANA.
N & W 2 P. M.

IND


A true copy from the Original, on file in this office.

Surveyor General's Office.

March 20th 1820

Richard Liffen Secy

15°N 9°W



The Living Sectional Lings and ascending
the Wabash River, in the above are enlarged
in the acc. of Basil Bonally E. L. de Verault. No. 1
3^d Dec. 1823.

482
154.96
 634.76
 ✓ 157.77
 ✓ 78.60
 ✓ 66.25
 ✓ 112.99
 ✓ 160.
 ✓ 140.45
 ✓ 16.20
1390.65

Sold ✓ 1012.70
credit 634.94

Total 1,954.64 cune

INDIANA.
N & W 2 P. M.

I certify that the above described plat Township was surveyed by Basil Bentley in the 2nd quarter of 1823; and that this plat is a true copy of the original filed in this office.

Surveyor General's Office
Chillicothe Oct. 28. 1828

Edward Tiffin

715th Reg. W. 2nd. ell. S


1877



The foregoing subdivisions of fractional sections are truly
 copied from the original plat in this office.
 Surveyor General's Office,
 Cincinnati Nov. 27 1853.

M. T. Williams
 Sur. Genl.

715 ch. Ag⁹ H, 2nd cell. ✓




ms B. 1. 6. v. 10. p. 86.

The foregoing subdivisions of ^{Long} fractional sections
are truly copied from the original plat in this office
Surveyor General's Office } M. T. Williams
Cincinnati Jan'y 20. 1834. } Svr. Genl.

T15 N, R9 W, 2nd Mer.

29




Comp?

The foregoing subdivisions of fractional sections are
truly copies from the original plat in this Office.
Surveyor General's Office } M. T. Williams
Cincinnati Nov. 27. 1853 } Sur. Genl.

Town 15 N, Range 9 W



Township 15 N, Range 9 W 3rd Mer.



This card is not a part of the official plat.

Received with Surveyor-General's letter of _____

Report No. _____

Posted in Division "C" _____

Triplicate plat filed with R. and R. _____


Miscellaneous See to J. H. Ballard Sept 19, 1906 rel
to island in sec 2. & 11 T. 15 N. R. 9 W.
rejecting his appln for survey. See to H. J. Ingram
Aug 1913 @ 350595

2 PM

A P A P A P A P A P A P A P A P										A P A P A P A P A P A P A P A P									
3682	6396	7625	157123	5731	14972	5882	5156			3209	A P								
4444	45920	416121	416248	416215	416230	416234	21852												
12309	7118	61186	12466	71629	21855	11130	5334												
AP	AP	AP	AP	AP	9511	9472	10984	11131	11131	11131	11131	6029	AP						
4444	4100				8426	6426	11630	AP	AP	8129	8730	6029	12015	1151	13465				
							6534	9633											
AP	AP	AP	6854	AP	AP	AP	13111	AP	AP	5147	AP	AP	AP	AP	AP				
2592	6640	6641	AP	7372	3680	7373	5176	3682	9479	5147	11324	6038	157	5780					
21672	AP	6743	7423	8099	AP	12818	AP	5125	AP	AP	AP	AP	AP	AP					
444	6910	9212	16391	7201	AP	5293	AP	5082	6926	AP	AP	AP	AP	AP					
AP	AP	AP	5874	AP	AP	5127				7346	AP	AP	12610	AP	AP	AP	AP	AP	AP
4166	4212	7788	9010	3681						AP	5501	AP	AP	AP	AP	AP	AP	AP	AP
8572	8142	6011	7418	7394	8483	12403	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
2152	9404	7418		12267	13077														
AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
19293	AP	7352		AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
2124	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
AP	7786	25838	AP	7386	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
		AP																	
21235	20134																		
AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
4166	34	7710	19161	19161	7710	22178	Don. Adams	Robert W. Stoddard	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
4157	17	2737	19161	19161	7710	22178	Don. Adams	Robert W. Stoddard	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
6861	17624	AP	21370	6429	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
1544	1366	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120	11120
AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
17877	21657	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
4155	10112	16033	9665	3844															

Present to a contract with and instructions from said Sherrill Co. Surveyor General at the United States Surveyors Office
I have examined said contract and have found the same correct and true and that it had been made and signed by the natural and
and as represented in the said contract and described in the said note made thereof, and returned with this, for the Surveyor General's
Certified this 27th day of March 1816
William H. Davis

Township N.° XV North, Range N.° IX West of 2.nd Mer.



Corners on the River				
E	Beech	18	N 59 W	18
	Sugar	12	S 72 E	23
G	B. Walnut	18	Comm	
H	Elm	12	N —	30
	Maple	18	N 78 W	47
P	W. Oak	12	N 56 E	46
	R. Oak	24	S 34 E	15
Y	Maple	30	S 37 E	21
	do	27	N 74 W	37
Z	Sugar	10	S 40 E	11
	W. Oak	10	S 44 W	26
F				
P & E at 6	Hackberry	4	N 50 W	32
	do	12	S 46 E	38

A true copy from the Original, on file in this Office,
 Surveyor General's Office, March 2nd 1820.

Edward Tiffin Surveyor

Township N.° IV north, Range N.° IX West 2. Mer.

59



A true copy from the original, filed in this office
 Surveyor General's Office
 November 14. 1823

Edward Coffin Secy